

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office MAY 07 1999

Returned to applicant for correction _____

Corrected application filed _____

Map filed MAY 11 1999

The applicant Jerry G. and Sandra L. Sullivan, hereby make application for permission to change the Point of Diversion, Manner and Place of Use of a portion of water heretofore appropriated under Permit 59607

1. The source of water is Underground
2. The amount of water to be changed 0.0229 c.f.s. (4.04 ac. ft.)
3. The water to be used for Domestic Purposes
4. The water heretofore permitted for Quasi-Municipal and Domestic
5. The water is to be diverted at the following point SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 19, T.19N., R.18E., M.D.B.&M. or at a point from which the S $\frac{1}{4}$ corner of said Sec. 19 bears S. 59° 36' 11" W., 842 feet.
6. The existing permitted point of diversion is located within SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 19, T.19N., R.18E., M.D.B.&M., or at a point from which the South East corner of said Section 19 bears S. 52° 27; 32" E., 1,721.74 feet.
7. Proposed place of use SE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 19, T.19N., R.18E., M.D.B.&M.
8. Existing place of use SW $\frac{1}{4}$ SE $\frac{1}{4}$ and portions of W $\frac{1}{2}$ SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 19, T.19N., R.18E., M.D.B.&M. and NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 30, T.19N., R.18E., M.D.B.&M.
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from January 1 to December 31 of each year.
11. Description of proposed works Drilled well, pump and distribution system.
12. Estimated cost of works \$30,000.00
13. Estimated time required to construct works Two (2) years
14. Estimated time required to complete the application of water to beneficial use Five (5) years
15. Remarks: Please use map filed in support of Permit 59607 Water will be used to serve the additional domestic needs.

By s/Jack D. Ferris
580 Mt. Rose Street
Reno, NV 89509

Compared my/bk dl/cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 59607 is issued subject to the terms and conditions imposed in said Permit 59607 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0229 cubic feet per second, but not to exceed 4.04 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

October 5, 2000

Proof of completion of work shall be filed before:

November 5, 2000

Water must be placed to beneficial use on or before:

October 5, 2001

Proof of the application of water to beneficial use shall be filed on or before:

November 5, 2001


Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 5th day of October, A.D. 1999



State Engineer
by Hugh Ricci, P.E., Deputy State Engineer

Completion of work filed NOV 07 2001

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____